

## Unterstützung für die therapeutische Arbeit

# Selbstmitgefühl in der Psychotherapie

### Literatur:

- Beck, A. T., Rush, A. J., Shaw, B. F. & Emery, G. (1979). *Cognitive therapy of depression*. New York City: Guilford Press.
- Braehler, C., Gumley, A., Harper, J., Wallace, S., Norrie, J. & Gilbert, P. (2013). Exploring change processes in compassion focused therapy in psychosis: Results of a feasibility randomized controlled trial. *British Journal of Clinical Psychology*, 52 (2), 199–214.
- Cuppige, J., Baird, K., Gibson, J., Booth, R. & Hevey, D. (2017). Compassion focused therapy: Exploring the effectiveness with a transdiagnostic group and potential processes of change. *British Journal of Clinical Psychology*, 57 (2), 240–254.
- Del Canale, S., Louis, D. Z., Maio, V., Wang, X., Rossi, G., Hojat, M. et al. (2012). The relationship between physician empathy and disease complications: An empirical study of primary care physicians and their diabetic patients in Parma, Italy. *Academic Medicine*, 87 (9), 1243–1249.
- Depue, R. A. & Morrone-Strupinsky, J. V. (2005). A neurobehavioral model of affiliative bonding: Implications for conceptualizing a human trait of affiliation. *Behavioral and Brain Sciences*, 28 (3), 313–349.
- Diedrich, A., Hofmann, S. G., Cuijpers, P. & Berking, M. (2016). Self-compassion enhances the efficacy of explicit cognitive reappraisal as an emotion regulation strategy in individuals with major depressive disorder. *Behaviour Research and Therapy*, 82, 1–10.
- Ehret, A. M., Joormann, J. & Berking, M. (2015). Examining risk and resilience factors for depression: The role of self-criticism and self-compassion. *Cognition and Emotion*, 29 (8), 1496–1504.
- Ehret, A. M., Joormann, J. & Berking, M. (2018). Self-compassion is more effective than acceptance and reappraisal in decreasing depressed mood in currently and formerly depressed individuals. *Journal of Affective Disorders*, 226, 220–226.
- Engen, H. G. & Singer, T. (2015). Compassion-based emotion regulation up-regulates experienced positive affect and associated neural networks. *Social Cognitive and Affective Neuroscience*, 10 (9), 1291–1301.
- Feliu-Soler, A., Pascual, J. C., Elices, M., Martín-Blanco, A., Carmona, C., Cebolla, A. et al. (2017). Fostering self-compassion and loving-kindness in patients with borderline personality disorder: A randomized pilot study. *Clinical Psychology & Psychotherapy*, 24 (1), 278–286.
- Gale, C., Gilbert, P., Read, N. & Goss, K. (2014). An evaluation of the impact of introducing compassion focused therapy to a standard treatment programme for people with eating disorders. *Clinical Psychology & Psychotherapy*, 21 (1), 1–12.
- Galili-Weinstock, L., Chen, R., Atzil-Slonim, D., Bar-Kalifa, E., Peri, T. & Rafaeli, E. (in press). The association between self-compassion and treatment outcomes: Session-level and treatment-level effects. *Journal of Clinical Psychology*.
- Germer, C. K. (2009). *The mindful path to self-compassion: Freeing yourself from destructive thoughts and emotions*. New York City: Guilford Press.
- Germer, C. K. & Neff, K. D. (2016). *Mindful self-compassion (MSC) training program*. Unpublished Manual.
- Gilbert, P. (2010). *Compassion focused therapy: Distinctive features*. London: Routledge.
- Gilbert, P., McEwan, K., Catarino, F. & Baião, R. (2014). Fears of compassion in a depressed population implication for psychotherapy. *Journal of Depression and Anxiety*, S2, 003.
- Gilbert, P., McEwan, K., Catarino, F., Baião, R. & Palmeira, L. (2014). Fears of happiness and compassion in relationship with depression, alexithymia, and attachment security in a depressed sample. *British Journal of Clinical Psychology*, 53 (2), 228–244.
- Hoffart, A., Økstedalen, T. & Langkaas, T. F. (2015). Self-compassion influences PTSD symptoms in the process of change in trauma-focused cognitive-behavioral therapies: A study of within-person processes. *Frontiers in Psychology*, 6, 1273.
- Kelly, A. C., Wisniewski, L., Martin-Wagar, C. & Hoffman, E. (2017). Group-based compassion-focused therapy as an adjunct to outpatient treatment for eating disorders: A pilot randomized controlled trial. *Clinical Psychology and Psychotherapy*, 24 (2), 475–487.

Krieger, T., Altenstein, D., Baettig, I., Doerig, N. & Holtforth, M. G. (2013). Self-compassion in depression: Associations with depressive symptoms, rumination, and avoidance in depressed outpatients. *Behavior Therapy, 44* (3), 501–513.

Lucre, K. M. & Corten, N. (2013). An exploration of group compassion-focused therapy for personality disorder. *Psychology and Psychotherapy: Theory, Research and Practice, 86* (4), 387–400.

Neff, K. (2003). Self-compassion: An alternative conceptualization of a healthy attitude toward oneself. *Self and Identity, 2* (2), 85–101.

Rogers, C. R. (1995). *On becoming a person: A therapist's view of psychotherapy*. Boston: Houghton Mifflin Harcourt.

Schanche, E., Stiles, T. C., McCullough, L., Svartberg, M. & Nielsen, G. H. (2011). The relationship between activating affects, inhibitory affects, and self-compassion in patients with Cluster C personality disorders. *Psychotherapy, 48* (3), 293.